# Index of Authors and Contributors

Names of authors and numbers of pages on which papers begin are printed in bold type


**Abdul-Hadi, M A, 281**
Aldridge, L, S26
**Allen, P H G, 409,** S58
**Arcoumanis, C, 1**
Arthurton, R I M, S10
Aylward, R, S47

Baldwin, T, S49
Barnett, P, S37
Barozzi, S, S58
Barrett, S G, S26
Baruah, P C, S1
Beasant, F H, S35
Bergles, A E, S55
**Bicen, A F, 1**
Bird, F V G, S26
**Boocock, D, 35,** S26
Booth, S25
Bowden, S25
Bruce, J G, S9
Bundy, M, S26
Burgess, R P, S25
Burlingame, R L, S4
Burt, S25

Cameron, I D, S25
Cantlie, K, S35
**Carr, P J, 239**
**Cernes, C D, 149**
Chapman, D V, S45
Chung, K S, S56
Churchill, S W, S57
Clements, F G, S23, S49, S9
Clibborn, S25
Cole, V A, S62
**Collins, M W, 409,** S58
Conway, M J, S49
Cook, A F, S25
**Cowell, F B, 313**
Cowen, D, S24
Cowking, E W, S15
**Cranfield, R R, 301**
Crook, P, S11
**Cross, D, 81,** S7

**Dale, M W, 337**
**Darnell, H, 337**
Davidson, R I, S48
Dedeoglu, N, S1
Dixon, D L, S22
Doak, P E, S4
du Plessis, J P, S55
Dungworth, A G, S36
Dyer, T M, S17

**Edwards, J B, 387,** 401
Eisner, E, S25
**Erskine, J B, 199**

Fawcett, D, S37, S50
Ferguson, S24
**Fischmeister, H F, 105**
Foot, S25
Ford, R, S22
**Forsythe, W, 417,** 425, S63

Gander, J R, S38
**Gardiner, I D, 317**
**Garratt, C H, 87,** S38
Gatineau, R S, S3
Gilchrist, A O, S49
Gilroy, F, S50
Goldfinch, A J, S11, S36
Green, N, S26
Greenaway, D, S50
**Grime, G, 325**

**Hafter, G H, 165,** S11, S35, S43
Hall, M T, S37
Harwood, S49
Higgins, D V, S11, S50
**Hill, R F, 87,** S38
Hinton, M, S26
Hoather, S, S26
Holiday, S37
Holme, A H E, S3
Hope, R A, S22
**Horlick, Vice Admiral Sir Ted, 65**
Howard, R, S51
**Howes, T D, 291**

Ideriah, F J K, S55
**Illingworth, R, 379,** S51
Imre, L, S57

**Johnson, K L, 363**
Jowett, W G, S11, S24

Kilbourne, L W, S23
Kinchin-Smith, C H, S10, S36
**King, B L, 35,** S26
King, P R, S38
**Kubie, J, 47, 259**

Law, J, S24
Leigh, M J, S50
**Lin, G C I, 141**
Logan, M R, S18
Lowe, C B, S24
Lowe, P, S49
Lunnon, C, S26, S50

MacDonald, J F S, S44, S47
Mackie, G H D, S25
**Marshall, W G, 417,** 425, S63
**Mathew, P, 141**
Maxwell, S26
Mellor, R W, S7
Milsted, M G, S3
Mitchell, I H, S37
Moffatt, D, S26, S50
Morgan, J L, S24
Morphew, D J, 165, S11
Morris, R S, S48
Moseley, P W, S36
**Mosley, K, 123**
Mujumdar, Lawal S, S56
Myers, P S, S18

**Neal, P B, 217,** S15
Nichols, S25
Nuttall, S25

Ogilvie, J R, S21, S44
**Osola, V J, 347**
**Oxley, P L B, 141**

Parish, A R, S41
Partridge, I M, S18
Passey, G H, S25
**Pearson, D S, 57,** S4
Pieper, J W, S3
**Pollard, M G, 379,** S51
Power, S R D, S21
Price, M, S24
Puntis, R, S37

Quail, P, S26

**Radermacher, K, 95**
Ramsey, P S M, S26
**Rathmill, K, 265**
Rayner, D, S37
Roberts, H P, S10
Roche, A D, S35
Rosser, J A, S11
Russell, D, S26

**Sackett, P J, 265**
Sandland, D A, S48
Sawyer, D, S37
Scales, B T, S48
Schmid, F, S44
Schmidt, F, S25, S50
Scott, T E, S49
**Sexton, J S, 291**
Shannon, R L, S57
**Sharman, P W, 191**
Sharp, J F, S36
Shaw, F, S7
**Sher, E, 23,** S2
Shirres, D A J, S22, S44
Siddall, R B, S50
**Silvester, R S, 229**
Slingsby, H, S37
Smith, J D, S7
Smithyman, G T, S11, S24, S37, S38, S49
Sourbut, J A, S9
Sparrow, R, S23


© IMechE 1983

**Spring, K H, 357**, S45
Steiger, H A, S1
**Stone, B J, 291**
Stubbs, T, S11
Swanson, S A V, S23
**Szpiro, O, 409**, S58

Tae Shik Oh, S18
Tayler, A T H, S36
Taylor, R W, S50
**Taylor, S, 183**
Thomas, P D, S61
Thompson L W, S24, S37
**Thring, M W, 175**
Thwaites, A, S24
Tickle, C, S24
Tilley, N, S38
Tipler, W, S17
**Tolley, G, 333**
Townsend, R, S25

Urie, R, S50

**Vasconcelos, H F, 183**
Vint, J, S50
**Vlachos, N S, 1**

Ware, D K, S10
**Watson, A R, 141**
Whincup, D, S25
**White, G, 11**
**Whitehouse, N D, 281**, S19
**Whitelaw, J H, 1**
Wilcock, F, S15
**Williamson, J L, 239**
Wilson, C, S25
Winter, J, S50
**Wolfenden, J R, 387**
Wood, P N, S25

**Yazdi, A M S R, 387**

Zhang, D X, S50



© IMechE 1983

# Subject Index

Titles of papers are in bold type


Accidents, probabilities of injury to car occupants in, 325
Acoustic design process, 202
Adhesion between elastic bodies, 374
Advanced Passenger Train (APT), 35, 324, 357, S21
  axles, S26
  bogie exchange, S26
  bogie hunting, S25
  brakes and braking, 42, 43, S22, S23, S24, S25, S26, S30
  chemical toilet, S22
  commissioning and testing programme, 38
  construction, 36
  cooling problems, S24
  current collection, 42
  design concept, 35
  design issues, S21
  development problems, 43, S34
  diesel-powered, S26, S34
  doors, S23
  energy per seat-kilometre, S25
  high pressure hoses and couplings, S21
  improvements in service, S21
  journey times, S25
  lateral peak forces, S23
  lateral track forces, S29
  maintenance, S31
  maintenance costs, S26
  maintenance facilities, S25
  mechanical transmission, 44
  motion sickness, S22, S25, S26
  overheating, S25
  pantograph operation, S22, S23, S24, S26
  passenger amenities, 44, S31
  performance, 39
  performance comparisons, S33
  power systems, S30
  reliability, S21, S22, S26, S31
  resistance characteristics, 42
  ride quality, 41, S24, S25, S26, S28, S29
  safety aspects, S33
  service introduction, 44
  servo-control of main frame, S23
  suspension, S29
  thyristor interference, 43
  tilt concept, S22
  tilt control, 40, S25
  tilt failure simulation, 44
  tilt mechanism, S21, S24
  tilt nausea, S22, S24
  tilt reliability, 43
  tilt response, 40
  tilt system, 39, S28
  track forces, 41
  traction motor transmission, S24
  traction system, S21
  tractive adhesion, S24, S26, S27
  trailers, 38, S26
  train configuration, 37, 45, S25
  train control, S31
  trim costs, S24
  25kV electric power car, 39
  wheel slip, 42, S24, S25
Air coolers, sound power levels, 207
Air cushion vehicles, S44
Air swirl in combustion chambers S18
Aircraft engine mounted accessories, 57, S3
  assessment of likelihood of failure, S4
  assessment technique, 60
  case histories, 62, 63
  design and approval procedure, 61
  engine construction, influence on, 57
  laboratory technique, 61
  measurement technique, 59
  presentation technique, 61
  rectification of shortcomings, 59
  vibration assessment criteria, 58
  vibration assessment practice, 59
Alternative technology, 176
Archimedes number, S59
Attitude problems in project management, 341
Audi control console, 351
Australia, railways in, 321
Automated small-batch production (ASP) programme, 266
Automatic driver computer in automatic train control, 429
Automatic train control, microcomputers in, 417, 425, S61
Automation, social implications of, 267

*Bass Trader*, roll-on roll-off cargo ferry, 321
Bearings, heat transfer in thrust pad, 217, S15
Biofuel crops, 179
**BMW ETA engine concept**, 95
  alternative torque curves, 97
  comparison with diesel engine, 100–3
  electronic equipment, 96
  exhaust gas emissions, 99
  fuel consumption, 98, 100
  fuel economy, 96
  limits to, 100
  mechanical improvement, 96
  modifications under specifically defined running conditions, 95
  noise levels, 99
  number of cylinders, 100
  running efficiency, 97
  subsequent modifications, 99
  thermodynamic improvements, 95
  transmission modifications, 96
  transmission ratio, 97
  weight, 100
Brake control, microcomputer, 427
British Rail Engineering Limited (BREL), 322
British Railways. *See* Advanced Passenger Train; Sleeping cars
Brittle materials, tubular testing, 123
Bronze powder compression data, 111
Buoyancy effects in heat transfer in horizontal tubes, S55, S56
Burners
  noise levels, 203
  sound power spectra, 205
Bus configuration, 161
Bus diagnostic systems, 153


© IMechE 1983

Bus fare collection equipment, 159, 163
Bus heating and ventilation, 156
Bus industry
  British requirements, 150
  export requirements, 151
  process innovations, 151
Bus maintenance costs, 151
Bus power units, 153
Bus product innovations, 153
Bus ride comparison, 155
Bus saloon heater, 158
Bus structural fasteners, 159
Bus structures, 159
Bus suspension assembly, 157
Bus suspension layout, 156, 157
Bus suspensions, 154
Bus transmission developments, 154
Buses
  articulated, 161
  double decker, 159, 161
  electrical equipment, 160
  factors influencing change, 149
  future forecasts, 163
  human factors, 161

Capital investment and economic performance, 337
Car occupants, probabilities of injury to, 325
Cash flow approach in project management, 338
Cem-FIL asbestos replacement corrugated sheeting, 349
Cem-FIL glass reinforced facing, 349
Cem-FIL reinforced permanent formwork, 349
Clearance volume effects, 8
Clemmontson truck, S50
Coal-face steering investigations, 387, 401
Coal mining, longwall, 387, 401
Combustion chambers
  air swirl in, S18
  quiescent, 281, 289, S17
Combustion noise, 204
Combustion process, interference effect of sampling valve, S19
Competitive performance, 352
Compressors, noise, 208
Computer aided design (CAD), 265
Computer aided manufacture (CAM), 265
Computer models as tools, 276
Computer reliability and redundancy in automatic train control, 417, S61
Computer simulation of armoured semi-flexible conveyor structures, 387, 401
Contact theory, Hertz, 363
Continuous elastic beam model, 403
Contracts in project management, 343
Control of Pollution Act 1974, 199
Convection, combined laminar, 409, S55
Conveyors
  armoured flexible structures, 387, 401
  stiffening the deck-plate, 397
Cost control. *See* Project cost control
Crankcase pressure, 29, 32
Cross-bracing in steering axle suspensions, 380, S47, S48, S49
Cutting force in oblique machining, 141

Deaerator head drains subject to adverse differential pressure, hydrodynamic characteristics, 301
Design office, liability in. *See* Liability
Developing countries, 175, 181
**Development—men and machines**, 317
**Development of the prototype advanced passenger train**, 35, S21
Die pressing
  defects, 113
  lubrication problems, 114
  powder, 111
Diesel engines
  comparison with BMW Eta unit, 100–3
  quiescent combustion chamber, 281, 289
  soot distribution in, 281, S17
  soot emission in, 281, S17
Discounted net cummulative cash flow, 338
Distance determination in automatic train control, 428
**Distribution of soot in the cylinder of a quiescent combustion chamber diesel engine**, 281, S17
*Dreadnought*, nuclear submarine, 68, 70, 71, 75, 78
Dynamic response to impulsive loadings, 184

Economic performance and capital investment, 337
Education, deficiencies in, 333
**Effect of joint flexibility on the torsion of a vehicle body**, 191
**Effects of flow and geometry boundary conditions on fluid motion in a motored IC model engine**, 1
Elastic bodies
  adhesion between, 374
  Hertz theory, 372
Electric motor control, microcomputer, 426
Electric striplamps, 180
Electrical equipment, buses, 160
Electrical wiring system for buses, 160
Energy resources
  future, 178
  long-term scene, 361
  *see also* Railways and energy
**Engineering for humanity**, 175
Engineers
  as entrepreneurs, 334
  as managers, 335
  in management of change, 334
**Engineers and management**, 333
Entrepreneurs, engineers as, 334
Environmental issues, Sullom Voe, 244
Eta engine concept. *See* BMW
*Excalibur*, nuclear submarine, 67
*Explorer*, nuclear submarine, 67

Fans, sound power level, 205
Finance in project management, 341
Finite difference equations, 28
Finite element analysis, 194
Finniston Report, 333, 334
Flexible manufacturing systems (FMS), 265
Flow
  compressible, butterfly valve, 229
  *see also* Outflow
Flow characteristics in model engines, 1
Flow configuration in model engine, 1
Fluid diode
  at inlet port, 31
  at scavenge ports, 33
  in crankcase-scavenged two-stroke engine, 23, S1
  influence on scavenging efficiency, 33
Fluid motion in motored IC model engine, 1
Food resources, 180
Friction, interface, Hertz theory, 369
Friction coefficient, between lubricated urethane inserts and steel tube bores, 137
Friction conditions, insert/tube tests, 131
Froude computer controlled prefabricated rolling road, 351
Froude computer controlled prefabricated twin test beds, 351
Froude tandem HS engine dynamometer, 350

Gas exchange processes, S1
Gas turbines



© IMechE 1983

aircraft, 319
research, 347
*see also* Locomotives
Gear teeth
bending deflexion, 378
contact deflexion, 378
contact theory, 368
Glass fibre continuous filament production, 348
Grashof number, S57
Grinding
chatter performance, 291
metal removal rates attainable, 291
Grinding wheels
cubic boron nitride, 291
flexible, 291
Gross Domestic Product, 337

Hard metals
HIP processing, 116
porosity, 116
Health and Safety at Work Act 1974, S7
Hearing protection, ICI guide, 201
Heat transfer
convective, 224
prediction of combined laminar convection, 409, S55
**Heat transfer in pad thrust bearings**, 217, S15
Heating systems in buses, 156
Helicopters, split-torque transmission, 11
Hertz contact theory, 363, 365
High energy rate forming machine, vibration and noise generation, 183
High Speed Train, S21, S50
High technology, extrapolation of, 175
Hoop stresses in tubing, 123, 134
Hot isostatic pressing (HIP), 115
Human power usage, 179
Humanity, engineering for, 175
Hybrid diesel/electric car, 182
**Hydrodynamic characteristics of deaerator head drains subject to an adverse differential pressure**, 301

Impact of electric bodies, Hertz theory, 372
**Improving the performance of a crankcase-scavenged two-stroke engine with a fluid diode**, 23, S1
Impulsive loadings, dynamic response to, 184
India, industrialization, 320
Indian Railways, 320
Industrial relations, Sullom Voe, 247, 248, 249
Innovation
in industry, 352
in project management, 340
**Innovative response to a changing world**, 347
**Integration of project time control and project cost control**, 313
Inter-diode mesh, 27
Internal stress in Hertz theory, 366
Iron powder compression curve, 110
Irrigation schemes, 181

Joint flexibility
influence on torsion of vehicle body, 191
structural analysis of, 195

Kearney and Trecker Marvin Limited, 266

Laser-Doppler anemometry, 1
Learning process in project management, 340
Liability
civil, 81
criminal, 82
employees, 84
exposition of, 81
professional engineer, 85
responsibility of end user, S7
strict, 82
vicarious, 83
**Liability in the design office**, 81, S7
Lightweight Leyland Experimental Vehicle (LEV), 385
**Lightweight split-torque transmission for a 330 kW helicopter**, 11
Line contacts in Hertz theory, 367
Locomotive steering bogie design, 385
Locomotives
diesel, 322, 357
diesel-electric, 318
electric, 357
gas turbine, 317, 319, 357
gas turbine electric, 318
radial trucks, S48
steam, 317, 357
London Transport rolling stock, 165, S9
air equipment freezing, S13
annual mileage, S13
axles, S11, S12
banishing wear, 167
bogie exchange, S10
bogie float, S12
brakeblocks, S13
brakes, S10, S11, S13
compressors, S13
costs of failures and delays, S10
draw and buffing gear, 173
economic life, S11
equipment case, 173
failure recording apparatus, 169
failures and delays, S14
fault rectification, 169, S14
faults and failures, S9
filtration and water separation, S9
full life equipment maintenance appraisal, S12
gear whine, S13
heavy overhaul, 166, 174
history of development, 165
inspection periods, S9
lubrication, 168, S11, S13
maintenance costs, S14
maintenance for 1980s, 167
maintenance on unit items, 168
maintenance patterns, 166, 167
maintenance productivity, 167
maintenance routines, S10
maintenance workforce, 174
maximum life, S13
modern stock differences, 168
modification costing, S12
modifications, S9
overhaul intervals, S10, S11
passenger alarms, S11, S13
physical life of, S9
press fitting of bearing into aluminium suspension sleeve, S10
preventive maintenance, 166
productivity, S11
programme lift, 168
rubber spring life, S11
seat trimming costs, S12
seat trimming materials, S10
shop inspection, 168
sliding door gear, 173, S11
test equipment, 170
traction motor maintenance, 171
training given to maintenance staff, S10, S12
types faults, 171

© IMechE 1983

ultrasonic testing, S12
wheel maintenance, S14
wheel-slide protection, 173
wheel-slide tests, S10
wheel turning, S11
Lubrication
London Transport rolling stock, 168, S11, S13
steering axle suspensions, S52

Machining
oblique, 141
cutting forces in, 141
prediction method, 145
results and discussion, 145
work material properties, 144
orthogonal theory, 143
Maglev vehicles, S44, S46
**Maintenance aspects of London transport rolling stock**, 165, S9
Management
and men, 323
engineers and, 333
responsibilities in, 339
*see also* Total project management
Managers
development of engineers as, 335
project, 345
Manufacturing effectiveness, 354
**Manufacturing plant for 1985—developments and justification**, 265
Manufacturing systems, 265
advanced, 265
batch, 266
mathematical models, 272
Manufacturing techniques, 265
**Mark III sleeping cars**, 87, S35
Market analysis, 355
Market development, 355
*Meteorite*, nuclear submarine, 67
**Microcomputers in automatic train control**
part 1: computer reliability and redundancy, 417, S61
part 2: practical considerations, 425, S61
Mixture formation, interference effect of sampling valve, S19
**Modelling of semiflexible conveyor structures for coal-face steering investigations**
part 1: spatially discrete models, 387
part 2: spatially continuous models, 401

*Nautilus*, nuclear submarine, 67, 68
$NO_x$ particulate trade-offs, S17
Noise
air coolers, 207
combustion, 204
compressors, 208
external environmental, 200
fan, 205
flow-induced, 205
fuel–gas valve, 206
traffic, 201
Noise control
BS 4142:1967, 199
legislation, 199
standards to be met, 200
**Noise control in the design of process plants**, 199
Noise evaluation, flow sheet stage, 202
Noise generation, high energy rate forming machine structure, 183
Noise levels
BMW Eta unit, 99
burners, 203
offices, 201
plant commissioning problems, 212
plant evaluation, 211
within plant, 213
Noise reduction, sleeping cars (Mark III), 90
Noise specifications, 201, 204, 213, 215
Non-return valves in scavenging system, S1
Notching relay operation, 427
Nuclear propulsion, submarine, 67
Numerical control, 265
Nusselt number, S59

Offices, noise levels in, 201
Oil terminal, Sullom Voe. *See* Sullom Voe
**One hundred years of Hertz contact**, 363
Organization structure in project management, 344
**Outflow of saturated water from horizontal vessels**, 259
Oxidation mechanism in soot formation, S18

Particulate distribution, S17
Peclet number, 224, S15
**Performance and design of plug-type check valves**, 47
Pipeline velocities, 214
Pipework, prefabrication, Sullom Voe, 257
Plug-type check valves, 47
delayed closure problem, 54
design implications, 56
high pressure systems, 47
operational implications, 54
types and applications, 47
typical system and its analysis, 50
valve behaviour in flow networks, 50
valve behaviour model, 54
valve closure in still fluid, 49
valve dynamics, 48
Polaris submarines, 71
Porosity
hard metals, 116
thermally induced, 117
Powder compaction
cold isostatic, 118
compression behaviour, 108
density–pressure curves, 108
green strength, 107, 108
history of, 105
hot, 115
hot isostatic pressing, 115
isostatic, 114
outlook, 119
pressure–density relations, 109
relative density, 108
stages of, 108
tooling principles, 111
**Powder compaction: fundamentals and recent developments**, 105
Powder densification, 109
Powder forging, 118
Powder rolling, 119
Powder types, 106
Power supply requirements, automatic train control, 426
Prandtl number, S57, S58
**Predicting cutting forces for oblique machining conditions**, 141–8
**Prediction methods for entry length heat transfer by combined laminar convection in horizontal tubes**, 409, S55
Pressure-wave dynamics, S2
**Probabilities of injury to car occupants in accidents with a practical example**, 325
Process innovation, 352
Product innovation, 352
Production systems modelling, 272
Project cost control, 313




© IMechE 1983

Project disciplines, 341
Project duration, 338
Project management
  Sullom Voe, 245
  *see also* Total project management
Project managers, 345
Project objectives, 338
Project organization, Sullom Voe, 247
Project plans, 345
Process plants, noise control, 199
Project proposals, 345
Project resource management, 344
Project structure, 338
Project team creation, 340
Project time control, 313
Project work, characteristics of, 339

Rail wear reduction, 379, S47
Railway electrification and energy saving, 358
Railways
  microcomputers in automatic train control, 417, 425, S61
  *see also* Advanced Passenger Train; High Speed Train; Sleeping cars
**Railways and energy—a strategic view**, 357, S43
Reliability
  in automatic train control, 417, 430
  of mechanical components, S3
Resolution, 71
**Road transport—our opportunities**, 149
Robot developments, 267
Robot functions flowchart, 277
Robot manufacturing systems, 271
Robot population, 268
Robot utilization, 275
Rolling stock, London Transport, 165, S9
Royal Navy, submarine propulsion, 65

Safety aspects, Sullom Voe, 252
Safety supervisor in automatic train control, 430
Sales management and innovation, 355
Saturated water outflow from horizontal cylindrical vessels, 259
Scavenging system, requirements of, S1, S2
Scroll diode dimensions, 26
Scroll diode principle, 25
Seat belts, effect on injury severity, 329
Ship propulsion, multi-bladed belt system, 182
Silencers
  duct system, 205
  vents, 208
600 Group Limited computer aided manufacturing project (SCAMP), 266
*Skipjack*, nuclear submarine, 69
Sleeping cars (Mark I), 87
Sleeping cars (Mark III), 87, S35
  accommodation, 89
  air conditioning, 89, 93, S37, S38
  berth layout, S37, S39
  body interior, 88
  body structure, 88
  bogies and brakework, 91
  business requirements, 88
  catering facilities, 91
  cold tracking, S38
  construction details, 92
  construction processes, 92
  corridors, S37
  development and design, 88
  effluent retention system, S39
  electrical supply, 89
  equipment, 89
  fire alarms, S36
  fire retardant materials, S39
  fleet replacement plans, 87
  fleet size, S39
  frost damage, S36
  interior dimensions, S39
  interior modular construction, S38
  life expectancy, S37
  maintenance, S35, S39
  manpower requirements, 92
  materials and safety, 89
  mock-up, S35, S37
  motor alternator ducting, S37
  noise levels, 90, S39
  passenger environment, 89
  performance, S35
  pre-planning, 92
  pressurized water system, 94
  smoke detectors, 93, S37
  soil retention tanks, S38
  sound-proofing, S37
  spare vehicles, S36
  special materials, 92
  toilets, 89
  vehicle construction, 91
  ventilation, S38
  water management, S37
  windows, 88
  working environment, 92
Social implications of automation, 267
Solar heat, 179
Solar/vapour power generating system, 179
Soot distribution in diesel engines, 281
Soot emission in diesel engines, 281, S17
Soot–hydrocarbon concentration, S18
Sound power levels, 203
Sound power output, 202
Sound pressure levels, 201
Speed determination in automatic train control, 428
Speed supervision in automatic train control, 429
Split-torque transmission, 11
  arrangement of drive trains, 11
  comparison with alternative configurations, 16
  comparison with conventional arrangements, 21
  design layout, 14
  gear dimensions, 16
  mechanisms for dividing torque, 12
  number of reduction stages, 11
  tabular comparison of arrangements, 21
STAMP process, 118
Steam engine/water pump, 180
Steering axle suspensions, 379, S47
  benefits of, S50
  competitive types of, S49
  cost effectiveness, 382, S52
  cross-bracing, 380, S47, S48, S49, S53
  four-wheel vehicles, 385
  freight applications, 383
  general applications, 382
  high plan view stiffness bogie, S53
  high speed, S53
  linkage steering, 381, S53
  locomotives, 385, S48
  lubrication, S52
  performance requirements, S48, S51
  predicted curving performance, 383
  primary yaw damping, 382
  secondary yaw damping, 381
  specification, S51
  suburban and rapid transit applications, 384
  theoretical background, 379

© IMechE 1983

time constant, S53
wear and wear factor, S52
Strain rate of tube under test, 134
Streamlines, based on measured velocity profiles, 3
Stress birefringent discs, 109
Stresses, tubing
derivation of, 135
hydraulically pressurized, 125
lubricated insert pressurized, 128
**Stressing for test purposes of materials in tubular form using elastomeric inserts—experimental and theoretical development**, 123
**Submarine propulsion in the Royal Navy**, 65
future development, 75
history, 65
nuclear, 67–79
overall build programme, 79
prototype testing, 74
second generation, 71
third generation, 73
Sullom Voe oil terminal
committee framework, 243
companies participating, 239
construction phase, 246
construction statistics, 240
environmental issues, 244
fabrication yards, 256
general conditions, 247
general design philosophy, 254
geographic location, 240
industrial relations, 247, 248, 249
initial developments, 242
integration with commissioning, 252
PAR design, 255
PAU design, 255
policies adopted, 249
pre-fabrication and modularization techniques, 254
pre-fabrication of pipework, 257
principles established, 248
project management, 245
project organization, 247
safety management, 252
transportation and handling, 255
welfare standards, 250
**Sullom Voe success story**, 239
Superalloys, HIP processing, 116
Surface roughness in contact of elastic bodies, 373
Suspensions
buses, 154, 156, 157
railway vehicle, 379, S47
steering axle. *See* Steering axle suspensions
*Swiftsure* submarine, 72–75
Swiss Federal Railways, S51

Tachometer computer in automatic train control, 429
Technical health assessment, 356
Technological society, 335
Temperature distributions in heated ducts, 409
**Testing and approval of aircraft engine mounted accessories**, 57, S3
**Theoretical method of minimizing vibration and noise generation of a high energy rate forming machine structure**, 183
Thermally induced porosity, 117
Time control. *See* Project time control
Time factors in project management, 343
Toft construction village, 251
Tool steels, HIP processing, 117
Torque. *See* Split-torque transmission
Torque divider
origins of, 13
selection of, 13
**Torque induced by a butterfly valve carrying a compressible flow**, 229
Torsion, vehicle body, 191
**Total project management—an integrated approach to the management of capital investment projects**, 337, S41
*Trafalgar* submarine, 73, 75, 77
Traffic noise effects, 201
Transmissions
buses, 154
split-torque. *See* Split-torque transmission
Transport industry, performance of competing modes, 360
Transport problems, developing countries, 181
Triple modular redundancy (TMR), 419
Triplex Ten Twenty Boeing 747 pilot's windshield, 349
Tubes, combined laminar convection in, 409, S55
Tubing
elastomeric insert testing, 123
hoop stresses, 123, 134
powder forging, 118
stainless steel, 118
strain rate under test, 134
stress system
derivation of, 135
hydraulically pressurized, 125
lubricated insert pressurized, 128
test procedure, 133
test specimen design, 132
Two-stroke engines
crankcase-scavenged, 23, S1
inlet port controls, 24

Ultrasonic testing of axles, S12
Underdeveloped countries. *See* Developing countries
**Use of increased wheel flexibility to improve chatter performance in grinding**, 291
**Use of steering axle suspensions to reduce wheel and rail wear in curves**, 379, S47

*Valiant*, nuclear submarine, 65, 70–73
Valve noise in fuel gas system, 206
Valve seat angle effects, 8
Valves
butterfly, torque induced in compressible flow, 229
plug-type check. *See* Plug-type check valves
Vehicle bodies, torsion of, 191
Vehicle performance checks, 153
Velocity distributions in heated ducts, 409
Velocity-gradient broadening, 3
Velocity profiles normalized by mean piston speed, 3
Ventilation in buses, 156
Vents, silencers, 208
Vibration
aircraft engine mounted accessories, 57, S3
high energy rate forming machine structure, 183
specifications, 216
*see also* Aircraft mounted accessories

Waste heat recovery, flow noise, 205
Wheel flange wear reduction, 379, S47
Wind power, 179
Work-in-progress queue size, 273
World civilization, diagrammatic representation of, 177
World strategy, need for, 175

Zinc powder compression curve, 111




© IMechE 1983